

Message

From: Riccio, Roberta [Riccio.Roberta@epa.gov]
Sent: 2/12/2018 2:05:06 PM
To: Duchovnay, Andrew [Duchovnay.Andrew@epa.gov]; Bennett, James [bennett.james@epa.gov]; Cohen, Amy [Cohen.Amy@epa.gov]
Subject: RE: GW Flow and Limited Analytical Data for the Personal Matters / Ex. 6

OK to meet I'll bring the hand sanitizer.

Roberta Riccio
Ground Water and Enforcement Branch (3WP22)
US EPA Region III
1650 Arch Street
Philadelphia, PA 19103
215.814.3107
Riccio.roberta@epa.gov

From: Duchovnay, Andrew
Sent: Monday, February 12, 2018 9:02 AM
To: Bennett, James <bennett.james@epa.gov>; Riccio, Roberta <Riccio.Roberta@epa.gov>; Cohen, Amy <Cohen.Amy@epa.gov>
Subject: RE: GW Flow and Limited Analytical Data for the Personal Matters / Ex. 6

I am here (in case you heard that I was sick). I didn't want to miss the meeting. If you want to pre-meet please let me know. Thanks. Brian Rosenthal has my cell and will call me when they arrive.

From: Bennett, James
Sent: Monday, February 12, 2018 8:45 AM
To: Riccio, Roberta <Riccio.Roberta@epa.gov>; Cohen, Amy <Cohen.Amy@epa.gov>; Duchovnay, Andrew <Duchovnay.Andrew@epa.gov>
Subject: FW: GW Flow and Limited Analytical Data for the Personal Matters / Ex. 6

From: Venables, Blair (DNREC) [mailto:Blair.Venables@state.de.us]
Sent: Tuesday, February 06, 2018 1:21 PM
To: Bennett, James <bennett.james@epa.gov>
Cc: Smailer, Steven M. (DNREC) <Steven.Smailer@state.de.us>
Subject: GW Flow and Limited Analytical Data for the Personal Matters / Ex. 6

Hi Jim:

Attached is a general GW flow map for the Mountaire area and a site map for the Personal Matters / Ex. 6 Sludge Facility. The most recent GW data that I've been able to obtain regarding the Personal Matters / Ex. 6 so far is the 12/27/15 sampling round conducted in the facility's MWs. Downgradient MW's 4 and 3 produced samples with nitrate concentrations of 12.7 and 9.3 mg/L respectively. MW 4 lies downgradient of a farm field where sludge is applied and MW 3 is downgradient of a tree farm where sludge is applied. Upgradient MW 1 contained GW with a nitrate concentration of 10.4 mg/L on the aforementioned sampling round. Brian Churchill with the Surface Water Section said that sludge was last applied sometime in 2017 to a small portion of the Farm Field.

I think this is the gist of the info that you were looking for. If you have questions feel free to email or call me. Later.

Blair Venable P.G.

HydroGeologist

Division of Water

Water Supply Section

Groundwater Protection Branch

Dept. Natural Resources & Env. Control (DNREC)

89 Kings Hwy.

Dover, DE 19901

Phone: 302 739 9945

Fax: 302 739 2296

Email: blair.venables@state.de.us